## **EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	10	"6915711" "6587803"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 12:01
L2	513	73/818.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 12:01
L3	315	(refiner refining) near3 (disc disk).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 12:02
L4	252	3 and (gap clearance space )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 12:19
L5	74	4 and (perpendicular\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 12:02
L6	48	5 and (bar rod )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 12:04
L7	47	6 and (stress strain load force pressure )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 12:08

## **EAST Search History**

L8	47	7 and (stress strain load force pressure ) and (perpendicular\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 12:11
L9	31	8 and (measur\$4 sens\$4 detect\$4 determin\$4 gage gauge transducer) near3 (stress strain load force pressure) and (perpendicular\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 12:19
L10	55	2 and (measur\$4 sens\$4 detect\$4 determin\$4 gage gauge transducer) near3 (stress strain load force pressure) and (perpendicular\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 12:19
L11	1	10 and (refiner refining)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 12:20

9/11/07 12:20:28 PM Page 2

## **EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1402	(pressure load force strain stress ) near3 (sens\$4 cell measur\$4 detect\$4 gage gauge transducer ) near3 (door )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 11:16
L2	323	1 and (electronic connect\$4 ) near3 (door )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 10:46
L3	10	2 and (lead ) near3 (wire )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 10:50
L4	7	3 and (panel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 10:46
L5	7	4 and (hole opening orifice aperture slot slit )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 10:47
L6	3	5 and (wire ) near3 (hole opening orifice aperture slot slit )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 10:49
L7	2	"6955079"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 10:49